

# THE FOCAL POINT

Vol. II, No. VI

The Newsletter of the Atlanta Astronomy Club

February 1990

## TABLE OF CONTENTS

The Other Herschels: Devoted Sister Caroline .....	1
Program Preview .....	2
Sunspot Groups And Their Basic Characteristics .....	2
The Texas Star Party .....	3
Where Do You Get Those Shows? .....	3

## CLUB CALENDAR

**Next Meeting:** February 16, 8:00 p.m. at Bradley Observatory.  
**Program:** Georgia State astronomer Dr. Dick Miller will speak on blazars, quasars, and supermassive black holes.  
**Observing Session:** February 24 at Villa Rica. Rain date will be March 3.

**Editor:** ..... Steve Gilbreath  
**Contributing Editors:** ..... Dr. Ralph Buice, Hal Crawford,  
Richard Jakiel, Mark Lancaster

The *Focal Point* is published monthly during the academic year by the Atlanta Astronomy Club, Inc. The AAC is a non-profit organization dedicated to the advancement of amateur astronomy. Meetings are held the third Friday of each month (except the second Friday in December) at the Bradley Observatory on the Agnes Scott campus. Dues are \$35 annually for a family membership and \$25 for a student membership and include a subscription to *Sky & Telescope* magazine and use of the club observatory in Villa Rica.

**Submissions:** Article submissions are welcome, and may be delivered to the editor for consideration. Articles on computer floppy disk are encouraged.

**Duplication:** Permission is granted to duplicate and redistribute in a nonprofit manner, in part or in whole, provided proper credit is made to this publication, club, and the authors.

## OFFICER'S PHONE NUMBERS

Leonard Abbey .....	<i>President</i> .....	634-1222
Eugenia Abbey .....	<i>Program Chrm</i> .....	634-1222
Richard Jakiel .....	<i>Observing Chrm</i> .....	473-9873
Steve Gilbreath .....	<i>Corresponding Sec</i> .....	634-7466
Bud Rosser .....	<i>Recording Sec</i> .....	879-0304
Hal Crawford .....	<i>Treasurer</i> .....	320-9156

## THE OTHER HERSCHEL'S: DEVOTED SISTER CAROLINE

by Lee Keith

courtesy of the Northern Lights Newsletter

Seldom in the history of science do we find more than one member of a family excelling in the same field, but such is the case with William Herschel's. With the unswerving devotion of his younger sister, Caroline, and the boundless energy and curiosity of his son, John, they moved astronomy out of the "Dark Ages" into the modern era.

Caroline was brought to Bath in 1772 to escape the lack of opportunity (and the drudgery of housework!) in Hanover, to pursue a singing career. At first things worked out well. She writes in her diary that she would be indebted to her brother for this opportunity. At one point, she became good enough to give singing lessons, but it was not to last.

The increasing burdens on her brother in turn made more demands on her time. Not only was she assisting William with his telescope making, but also recording his observations. It is with these notes, along with her personal diary, that we have the only window into William's personal and astronomical life. History owes her a great debt. It is unfortunate that she burned part of her diary during a spat with her brother.

Let it be known that she very reluctantly gave up her future singing career in favor of William's astronomical one. Caroline was very close to her family, especially William. Caroline lived to be 98 and never married. She felt something like jealousy when William did marry, but this passed and she continued to work faithfully with her brother.

When recording observations, Caroline would typically be in a small observing shed at the base of the 20 of 40 foot telescopes. In it she had a candle or lamp, a star chart, a clock, and a dial to read the current polar distance of the telescope. Herschel measured an object's distance from the Celestial Pole instead of the Celestial Equator as is done today. From there, she would record the time, polar distance, hour angle, and the verbal description called out by William, precariously perched up to 50 feet off the ground. This arrangement turned out to be very efficient, as anyone who uses a microcassette recorder to dictate their observations will testify.

Recording was not Caroline's only duty. While her brother made telescopes, she would read aloud to him to "unbend the mind" of the Great Astronomer. It is comforting to know that rather than reading a technical book, she read *Don Quixote*, *Arabian Nights*, and the novels of Sterne and Foster. If necessary, she would even feed her brother! Once, when the elder Herschel's hands had not left the polishing tool for sixteen hours, "by way of keeping him alive" Caroline was "obliged to feed him by putting the victuals by bits into his mouth."

Just so you don't get the wrong impression that Caroline was just her brother's maidservant, she was a very accomplished astronomer in her own right. Besides discovering, describing, and cataloging many star clusters and "nebulae", including

NGC 205, a companion to the Andromeda Galaxy, she discovered no less than eight comets, one of them is known today as Encke's Comet. No, I don't know why this is, but I'm looking.

After William's death in 1822, Caroline moved back to Hanover, not just to be with family and friends she had not seen in decades, but also to complete the cataloging of all her brother's double stars and nebulae, which in 1888 would become the nucleus of the NGC catalog, used almost universally (pardon the pun) by all astronomers today. She later wrote that the 26 years she spend in Hanover after William's death were not very happy ones for her. She missed the importance and activity of the time spent in England with her brother.

In a fitting tribute to the career of Miss Herschel, the Royal Astronomical Society voted her an Honorary Member in 1835, unheard of in those days for a woman! In the Report to the Fifteenth Meeting of the Society, the topic of the sex of members was discussed, and "abandoning compliments on one hand, and false delicacy on the other, submits that while the test of astronomical merit should in no case be applied to the works of a woman no less than a man, the sex of the former should no longer be an obstacle to her receiving any acknowledgement which might be held due to the latter." During this vote, two women, including Caroline, were voted in, and it was "not necessary to recount the proofs" of their astronomical accomplishments.

---

### PROGRAM PREVIEW

Our program for February will feature Dr. Dick Miller, astronomer at Georgia State University, speaking on blazars, quasars, and supermassive black holes. Dr. Miller will explain what these objects are and how they are believe to function. Then, based on his research, he will show how these objects are interrelated. There is considerable evidence that supermassive black holes "drive" nearby blazars and quasars, producing their luminosity and other unique characteristics.

Dr. Miller is a noted astronomical theorist,. His research has been conducted at a variety of observatories including Kitt Peak, Palomar, Lowell and Flagstaff, and Cerro Tololo Inter-american in Chile. Mark your calendars for February 16th!

---

### AAC MEMBERSHIP LIST TO BE RELEASED

The AAC Membership List will be published in the March issue of the Focal Point. If you do not wish to have your name, address, or phone number published please contact Steve Gilbreath at 634-7466 by February 28th.

### SUNSPOT GROUPS AND THEIR BASIC CHARACTERISTICS

by Peter O. Taylor

When Rudolf Wolf devised the Relative Sunspot Number in the mid-nineteenth century, he envisioned an evolutionary nature of sunspot-cluster growth. In 1938, M. Waldmeier of the Swiss Federal Observatory in Zurich, defined a group classification scheme which was based on this concept (Waldmeier, 1947). Today this system, known as the Zurich Classification, is employed by sunspot observers all over the world.

According to Noyes (1982), "All sunspots begin their lives as tiny pores no larger than a single solar-granule. They are created when a cluster of sub-surface gas carrying a strong magnetic field breaks the surface..." A pore may last only an hour or so, or may go on to become a huge group of spots many times the size of the Earth.

Invariably a new group first appears as one or more tiny spots without penumbra (the filamented structures which surround the dark, or umbral, portions of the spots). Such a group is classified "A". An "A" group is a unipolar, rather than bipolar cluster.

Visually bipolar groups consist of two or more spots which are oriented in an East to West direction. If a small group does show a bipolar structure, it is classified as a "B" group. Many clusters never develop beyond the "A" or "B" stage, and consequently their lifetimes are a few days at most. In spite of their insignificant appearance, these small activity centers are often quite numerous, and can make up a substantial portion of the daily sunspot count. Sometimes, and especially during the minimum of a sunspot cycle, these are the only groups which are present on the Sun's disk.

A few of the "A" or "B" type clusters develop rapidly into larger and more complicated systems. One of the first signs of impending greatness is a very rapid surge in growth shortly after the spot's initial emergence. Within a few hours, the group may have grown to become a "C" or "D" group. The most distinguishing feature of the "C" group is the appearance of a single penumbra. The penumbra can appear around the preceding (most westerly) or following spot; however, more often than not the penumbra appears around the leader.

On the other hand, the "D" group is characterized by penumbra around both preceding and following spots. Most "D" groups pass through the "C" stage, but often their growth is so rapid that they appear as "A" or "B" types on one day, and as class "D" on the next. Professor Waldmeier specifies a maximum length of up to ten heliographic (solar) degrees for this stage of group development.

A small fraction of the "D" clusters continue to grow and

become "E" groups. Length (and to some extent, structure) is the difference between "D" and "E" groups. The "E" types must demonstrate a longitudinal spread between ten and fifteen degrees. Spread in latitude, which can show considerable variation, is not considered.

Although "E" groups represent only a small percentage of the total number of clusters, a few of them continue to grow into the largest group of all, the type "F". Again length is the determining factor: their longitudinal spread must exceed fifteen degrees. Such groups can be spectacular! The spot count in one "F" type cluster alone can exceed one-hundred, and they can spread over areas of billions of square-miles. The lifetime of the "F" group is usually long; they often rotate back onto the visible disk for additional appearances.

All groups have one thing in common: their growth is far more rapid than their decay. Maximum growth can usually be recognized by a lack of further spread in longitude. And, when the numerous tiny spots that are characteristically associated with developing clusters start to disappear, it is most often a sign that the group has started to decay.

The decay process is similar for all groups. The smaller "C" and "D" types usually desolve into a rather long-lasting single spot with penumbra. If decay ends in a single spot it is deemed to be class "J" if less than two and one-half degrees in diameter, and "H" if its size exceeds this. The "H" group which remains from the decay of an "F" group is particularly long-lasting and may reappear for several solar rotations. Small spots may come and go around the edges of these groups.

The larger "D," and the "E" and "F" type complexes often desolve into two such spots. This stage of decay is classified "G." These clusters generally decay further into a single spot which is frequently the preceding member of the group. These in turn are classed as either "J" or "H" type groups, depending on their diameter.

The groups which we have described (except for types "A," "J" and "H") have visually bipolar structures. Occasionally a great group develops that lacks this structure. These clusters are also classed "H" even though they do not represent a decayed group. Usually they grow to be quite large, and may become great flare producers. More rarely, a small, unimpressive group which lacks a bipolar structure will occur, and it should be classified "J" even though it too did not come about through a decay process.

Note: In the "Modified Zurich Classification", "G" groups are included in the definition of classes "E" and "F," while "J" types are assigned to class "H."

## THE TEXAS STAR PARTY

The great tradition of dark sky observing continues as the Southwest region of the Astronomical League presents the Twelfth Annual Texas Star Party at the Prude Ranch near Ft. Davis. This year's astronomical fiesta will include a full week of observing, astrophotography, and fellowship in the magnificent Davis Mountains of West Texas from May 20 through May 28, 1990. Activities will include tours of the famed McDonald Observatory, afternoon talks by amateur and professional astronomers and telescope makers, and evening presentations given by special guest of the Texas Star Party.

Guest speakers for 1990 include Brian Marsden of the Smithsonian Astrophysical Observatory, Walter Scott Houston, author of *Sky & Telescope* magazine's "Deep Sky Wonders" column, and noted astrophotographer Tony Hallas.

Participants at the Texas Star Party can select from a variety of accommodations on the Prude Ranch, including bunkhouses, private cabins, trailer hookups, and campsites with convenient bathhouses. All accommodations include access to a TV lounge, a western-style dining room, and an indoor swimming pool. Horseback riding and tennis can be enjoyed on the ranch, along with other recreational activities in and around the Davis Mountains. A rafting trip down the Rio Grande, a hike through spectacular Big Ben National Park, or an expedition through the world-famous Carlsbad Caverns can add to this exciting frontier vacation.

The cost is only \$18.00 single and \$7.00 for each additional family member before February 24th. After the 24th the cost is \$23.00 single and \$7.00 for each additional family member. Lodging reservations can be made by calling the Prude Ranch directly at (915)426-3202 after February 17, 1990.

For more information about this exciting event ask any officer for further details at the meeting.

---

## WHERE DO YOU GET THOSE SHOWS?

by Carolyn Collins Petersen

A planetarium show can be a lot of different things, depending on where you see it, who's putting it on, and who created it. Current planetarium show philosophy at any one facility is affected by a number of factors: educational and entertainment needs, current events in astronomy, the financial status of the facility (i.e. does it need to bring in dough before the budget axe hits?), what the local audience interests are; the interests of the planetarium staff, and the abilities of the staff.

# THE FOCAL POINT

Vol. II, No. VI

The Newsletter of the Atlanta Astronomy Club

February 1990

## TABLE OF CONTENTS

The Other Herschels: Devoted Sister Caroline .....	1
Program Preview .....	2
Sunspot Groups And Their Basic Characteristics .....	2
The Texas Star Party .....	3
Where Do You Get Those Shows? .....	3

## CLUB CALENDAR

**Next Meeting:** February 16, 8:00 p.m. at Bradley Observatory.  
**Program:** Georgia State astronomer Dr. Dick Miller will speak on blazars, quasars, and supermassive black holes.  
**Observing Session:** February 24 at Villa Rica. Rain date will be March 3.

**Editor:** ..... Steve Gilbreath  
**Contributing Editors:** ..... Dr. Ralph Buice, Hal Crawford,  
Richard Jakiel, Mark Lancaster

The Focal Point is published monthly during the academic year by the Atlanta Astronomy Club, Inc. The AAC is a non-profit organization dedicated to the advancement of amateur astronomy. Meetings are held the third Friday of each month (except the second Friday in December) at the Bradley Observatory on the Agnes Scott campus. Dues are \$35 annually for a family membership and \$25 for a student membership and include a subscription to Sky & Telescope magazine and use of the club observatory in Villa Rica.

**Submissions:** Article submissions are welcome, and may be delivered to the editor for consideration. Articles on computer floppy disk are encouraged.

**Duplication:** Permission is granted to duplicate and redistribute in a nonprofit manner, in part or in whole, provided proper credit is made to this publication, club, and the authors.

## OFFICER'S PHONE NUMBERS

Leonard Abbey .....	President .....	634-1222
Eugenia Abbey .....	Program Chrm .....	634-1222
Richard Jakiel .....	Observing Chrm .....	473-9873
Steve Gilbreath .....	Corresponding Sec .....	634-7466
Bud Rosser .....	Recording Sec .....	879-0304
Hal Crawford .....	Treasurer .....	320-9156

## THE OTHER HERSCHELS: DEVOTED SISTER CAROLINE

by Lee Keith

courtesy of the Northern Lights Newsletter

Seldom in the history of science do we find more than one member of a family excelling in the same field, but such is the case with William Herschel's. With the unswerving devotion of his younger sister, Caroline, and the boundless energy and curiosity of his son, John, they moved astronomy out of the "Dark Ages" into the modern era.

Caroline was brought to Bath in 1772 to escape the lack of opportunity (and the drudgery of housework!) in Hanover, to pursue a singing career. At first things worked out well. She writes in her diary that she would be indebted to her brother for this opportunity. At one point, she became good enough to give singing lessons, but it was not to last.

The increasing burdens on her brother in turn made more demands on her time. Not only was she assisting William with his telescope making, but also recording his observations. It is with these notes, along with her personal diary, that we have the only window into William's personal and astronomical life. History owes her a great debt. It is unfortunate that she burned part of her diary during a spat with her brother.

Let it be known that she very reluctantly gave up her future singing career in favor of William's astronomical one. Caroline was very close to her family, especially William. Caroline lived to be 98 and never married. She felt something like jealousy when William did marry, but this passed and she continued to work faithfully with her brother.

When recording observations, Caroline would typically be in a small observing shed at the base of the 20 or 40 foot telescopes. In it she had a candle or lamp, a star chart, a clock, and a dial to read the current polar distance of the telescope. Herschel measured an object's distance from the Celestial Pole instead of the Celestial Equator as is done today. From there, she would record the time, polar distance, hour angle, and the verbal description called out by William, precariously perched up to 50 feet off the ground. This arrangement turned out to be very efficient, as anyone who uses a microcassette recorder to dictate their observations will testify.

Recording was not Caroline's only duty. While her brother made telescopes, she would read aloud to him to "unbend the mind" of the Great Astronomer. It is comforting to know that rather than reading a technical book, she read Don Quixote, Arabian Nights, and the novels of Sterne and Foster. If necessary, she would even feed her brother! Once, when the elder Herschel's hands had not left the polishing tool for sixteen hours, "by way of keeping him alive" Caroline was "obliged to feed him by putting the victuals by bits into his mouth."

Just so you don't get the wrong impression that Caroline was just her brother's maidservant, she was a very accomplished astronomer in her own right. Besides discovering, describing, and cataloging many star clusters and "nebulae", including

NGC 205, a companion to the Andromeda Galaxy, she discovered no less than eight comets, one of them is known today as Encke's Comet. No, I don't know why this is, but I'm looking.

After William's death in 1822, Caroline moved back to Hanover, not just to be with family and friends she had not seen in decades, but also to complete the cataloging of all her brother's double stars and nebulae, which in 1888 would become the nucleus of the NGC catalog, used almost universally (pardon the pun) by all astronomers today. She later wrote that the 26 years she spend in Hanover after William's death were not very happy ones for her. She missed the importance and activity of the time spent in England with her brother.

In a fitting tribute to the career of Miss Herschel, the Royal Astronomical Society voted her an Honorary Member in 1835, unheard of in those days for a woman! In the Report to the Fifteenth Meeting of the Society, the topic of the sex of members was discussed, and "abandoning compliments on one hand, and false delicacy on the other, submits that while the test of astronomical merit should in no case be applied to the works of a woman no less than a man, the sex of the former should no longer be an obstacle to her receiving any acknowledgement which might be held due to the latter." During this vote, two women, including Caroline, were voted in, and it was "not necessary to recount the proofs" of their astronomical accomplishments.

---

### PROGRAM PREVIEW

Our program for February will feature Dr. Dick Miller, astronomer at Georgia State University, speaking on blazars, quasars, and supermassive black holes. Dr. Miller will explain what these objects are and how they are believe to function. Then, based on his research, he will show how these objects are interrelated. There is considerable evidence that supermassive black holes "drive" nearby blazars and quasars, producing their luminosity and other unique characteristics.

Dr. Miller is a noted astronomical theorist,. His research has been conducted at a variety of observatories including Kitt Peak, Palomar, Lowell and Flagstaff, and Cerro Tololo Inter-american in Chile. Mark your calendars for February 16th!

---

### AAC MEMBERSHIP LIST TO BE RELEASED

The AAC Membership List will be published in the March issue of the Focal Point. If you do not wish to have your name, address, or phone number published please contact Steve Gilbreath at 634-7466 by February 28th.

### SUNSPOT GROUPS AND THEIR BASIC CHARACTERISTICS

by Peter O. Taylor

When Rudolf Wolf devised the Relative Sunspot Number in the mid-nineteenth century, he envisioned an evolutionary nature of sunspot-cluster growth. In 1938, M. Waldmeier of the Swiss Federal Observatory in Zurich, defined a group classification scheme which was based on this concept (Waldmeier, 1947). Today this system, known as the Zurich Classification, is employed by sunspot observers all over the world.

According to Noyes (1982), "All sunspots begin their lives as tiny pores no larger than a single solar-granule. They are created when a cluster of sub-surface gas carrying a strong magnetic field breaks the surface..." A pore may last only an hour or so, or may go on to become a huge group of spots many times the size of the Earth.

Invariably a new group first appears as one or more tiny spots without penumbra (the filamented structures which surround the dark, or umbral, portions of the spots). Such a group is classified "A". An "A" group is a unipolar, rather than bipolar cluster.

Visually bipolar groups consist of two or more spots which are oriented in an East to West direction. If a small group does show a bipolar structure, it is classified as a "B" group. Many clusters never develop beyond the "A" or "B" stage, and consequently their lifetimes are a few days at most. In spite of their insignificant appearance, these small activity centers are often quite numerous, and can make up a substantial portion of the daily sunspot count. Sometimes, and especially during the minimum of a sunspot cycle, these are the only groups which are present on the Sun's disk.

A few of the "A" or "B" type clusters develop rapidly into larger and more complicated systems. One of the first signs of impending greatness is a very rapid surge in growth shortly after the spot's initial emergence. Within a few hours, the group may have grown to become a "C" or "D" group. The most distinguishing feature of the "C" group is the appearance of a single penumbra. The penumbra can appear around the preceding (most westerly) or following spot; however, more often than not the penumbra appears around the leader.

On the other hand, the "D" group is characterized by penumbra around both preceding and following spots. Most "D" groups pass through the "C" stage, but often their growth is so rapid that they appear as "A" or "B" types on one day, and as class "D" on the next. Professor Waldmeier specifies a maximum length of up to ten heliographic (solar) degrees for this stage of group development.

A small fraction of the "D" clusters continue to grow and

become "E" groups. Length (and to some extent, structure) is the difference between "D" and "E" groups. The "E" types must demonstrate a longitudinal spread between ten and fifteen degrees. Spread in latitude, which can show considerable variation, is not considered.

Although "E" groups represent only a small percentage of the total number of clusters, a few of them continue to grow into the largest group of all, the type "F". Again length is the determining factor: their longitudinal spread must exceed fifteen degrees. Such groups can be spectacular! The spot count in one "F" type cluster alone can exceed one-hundred, and they can spread over areas of billions of square-miles. The lifetime of the "F" group is usually long; they often rotate back onto the visible disk for additional appearances.

All groups have one thing in common: their growth is far more rapid than their decay. Maximum growth can usually be recognized by a lack of further spread in longitude. And, when the numerous tiny spots that are characteristically associated with developing clusters start to disappear, it is most often a sign that the group has started to decay.

The decay process is similar for all groups. The smaller "C" and "D" types usually desolve into a rather long-lasting single spot with penumbra. If decay ends in a single spot it is deemed to be class "J" if less than two and one-half degrees in diameter, and "H" if its size exceeds this. The "H" group which remains from the decay of an "F" group is particularly long-lasting and may reappear for several solar rotations. Small spots may come and go around the edges of these groups.

The larger "D," and the "E" and "F" type complexes often desolve into two such spots. This stage of decay is classified "G." These clusters generally decay further into a single spot which is frequently the preceding member of the group. These in turn are classed as either "J" or "H" type groups, depending on their diameter.

The groups which we have described (except for types "A," "J" and "H") have visually bipolar structures. Occasionally a great group develops that lacks this structure. These clusters are also classed "H" even though they do not represent a decayed group. Usually they grow to be quite large, and may become great flare producers. More rarely, a small, unimpressive group which lacks a bipolar structure will occur, and it should be classified "J" even though it too did not come about through a decay process.

Note: In the "Modified Zurich Classification", "G" groups are included in the definition of classes "E" and "F," while "J" types are assigned to class "H."

## THE TEXAS STAR PARTY

The great tradition of dark sky observing continues as the Southwest region of the Astronomical League presents the Twelfth Annual Texas Star Party at the Prude Ranch near Ft. Davis. This year's astronomical fiesta will include a full week of observing, astrophotography, and fellowship in the magnificent Davis Mountains of West Texas from May 20 through May 28, 1990. Activities will include tours of the famed McDonald Observatory, afternoon talks by amateur and professional astronomers and telescope makers, and evening presentations given by special guest of the Texas Star Party.

Guest speakers for 1990 include Brian Marsden of the Smithsonian Astrophysical Observatory, Walter Scott Houston, author of *Sky & Telescope* magazine's "Deep Sky Wonders" column, and noted astrophotographer Tony Hallas.

Participants at the Texas Star Party can select from a variety of accommodations on the Prude Ranch, including bunkhouses, private cabins, trailer hookups, and campsites with convenient bathhouses. All accommodations include access to a TV lounge, a western-style dining room, and an indoor swimming pool. Horseback riding and tennis can be enjoyed on the ranch, along with other recreational activities in and around the Davis Mountains. A rafting trip down the Rio Grande, a hike through spectacular Big Ben National Park, or an expedition through the world-famous Carlsbad Caverns can add to this exciting frontier vacation.

The cost is only \$18.00 single and \$7.00 for each additional family member before February 24th. After the 24th the cost is \$23.00 single and \$7.00 for each additional family member. Lodging reservations can be made by calling the Prude Ranch directly at (915)426-3202 after February 17, 1990.

For more information about this exciting event ask any officer for further details at the meeting.

---

## WHERE DO YOU GET THOSE SHOWS?

by Carolyn Collins Petersen

A planetarium show can be a lot of different things, depending on where you see it, who's putting it on, and who created it. Current planetarium show philosophy at any one facility is affected by a number of factors: educational and entertainment needs, current events in astronomy, the financial status of the facility (i.e. does it need to bring in dough before the budget axe hits?), what the local audience interests are; the interests of the planetarium staff, and the abilities of the staff.

Physically, the show may consist of anywhere from 25-300 or more slides, a soundtrack tape, a set of special effects projectors, and the star projector. In some facilities, these materials are created in-house. Other facilities buy their show materials, either from planetarium materials producers, NASA (slides and films only), or they adapt standard AV presentations to their needs. In a facility which creates its own shows, the creation of a show might follow this scenario:

4-6 months before the show opens, the scriptwriter sits down and comes up with an idea for the show. He/she/it meets with the artist and soundtrack person (or him/her/itself if the staff is small), to brainstorm the idea for visual and sound possibilities. Then the scriptwriter writes the script. (That's what I do -- it looks easier than it is...)

2-3 months before the show opens, the finished script is handed to the technical staff, which then gets to work creating visuals for the show. If the facility is especially lucky, an on-staff artist will paint scenes for the show, which are then photographed and mounted for projection onto a curved surface. If the facility is exceedingly lucky, the staff soundtrack artist will compose original music and set the narration to it. However, usually someone just uses library music (there are special "space-

music" libraries available for this purpose) to create the soundtrack, records the narrator(s), and puts together a full track to go along with the visuals.

1-2 weeks before the show opens, the old show is torn out, new projectors are installed, the slides are put in and synchronized to the soundtrack, and the show is rehearsed (if there's time).

This scenario varies from facility to facility. If a planetarium space/theater buys a show from another facility, then the creative time is shorter, but the installation time remains about the same. Obviously this scenario fits the better-equipped facilities -- but the creative thought behind the shows given in any facility isn't limited to the "big boys". I have created a show from 30 slides and a limited soundtrack, which ran in a small school facility here in Colorado. The students who saw the show came away with a new appreciation for the subject (Voyager 2 at Uranus). It was a case of creative presentation -- something which distinguishes planetarians from the general run of teachers and audio-visual materials creators. It's a lot like creating science fiction -- planetarians have the whole universe from which to glean ideas to present in Earth-bound facilities. In most cases, they do a pretty good job.



## THE FOCAL POINT

## First Class Delivery

Article submissions and address corrections to:  
 Steve Gilbreath, Editor  
 1410-C Druid Valley Dr.  
 Atlanta, Ga. 30329

AAC membership renewals to:  
 Hal Crawford, Treasurer  
 1690 Oak Grove Rd.  
 Decatur, Ga. 30033

W. Tom Buchanan  
 105 Carriage Station Circle  
 Roswell, GA. 30075